



# Material Safety Data Sheet

## Hazardous Materials Information System (HMIS) Ratings

Health = 1

Flammability = 2

Reactivity = 0

Protective Equipment = B

Revision Date 08/03/2010

Version 1 . 0

### Section 1. Chemical product and company identification

**Material Number:** 1406464

**Material Description :** ECO/BIO Flush

**Manufacturer Name :** INX Digital International Co.

**Manufacturer Address :** 2125 Williams Street, San Leandro, California 94577, United States

**24 Hour Emergency Phone :** 800.424.9300 CHEMTREC 24 Hour Spill and Emergency

**Product Safety (EHS) Phone :** 630.382.1800 x1450

**MSDS Email Information :** MSDS@inxintl.com

### Section 2. Hazards Identification

**Physical state :** liquid

**OHSA/HCS Classification :** Combustible liquid, Irritating material

**Emergency overview :** WARNING! COMBUSTIBLE LIQUID AND VAPOR. CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. MAY BE HARMFUL IF SWALLOWED. PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION. Combustible liquid. May be harmful if swallowed. Irritating to eyes, respiratory system and skin. Defatting to the skin. Keep away from heat, sparks and flame. Do not ingest. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.

#### Potential acute health effects

**Skin contact :** Irritating to skin.

**inhalation :** Irritating to respiratory system.

**ingestion :** Harmful if swallowed.

#### Potential chronic health effects

**Chronic effects :** Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

**Mutagenicity :** No known significant effects or critical hazards.

**Teratogenicity :** No known significant effects or critical hazards.

**Fertility effects :** No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

**Eye/face :** Adverse symptoms may include the following: pain or irritation watering redness

**skin :** Adverse symptoms may include the following: irritation redness dryness cracking

**inhalation :** Adverse symptoms may include the following: respiratory tract irritation coughing

**ingestion :** No specific data.

**Medical conditions aggravated by over-exposure:**None known.

### Section 3. Composition / Information on Hazardous Ingredients

Chemical name	CAS #	Weight %
Butanolide, 4-	96-48-0	40.0000 - 70.0000
Dipropylene glycol dimethyl ether	111109-77-4	15.0000 - 40.0000
Dipropylene Glycol Monomethyl Ether Acetate	88917-22-0	15.0000 - 40.0000
Ethyl lactate	687-47-8	7.0000 - 13.0000
Tetraethylene Glycol Dimethyl Ether	143-24-8	5.0000 - 10.0000

## Section 4. First aid measures

---

**Eye contact:** Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

**Skin contact:** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

**inhalation:** Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

**ingestion:** Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

**Notes to physician:** No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

## Section 5. Fire fighting measures

---

**Flash point:** 70.5 °C

**Fire hazard:** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

**Extinguishing media (Suitable) :** Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.

**Extinguishing media (Not suitable) :** Do not use water jet.

**Hazardous combustion products :** Decomposition products may include the following materials: carbon dioxide carbon monoxide

## Section 6. Accidental release measures

---

**Personal precautions :** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

**Environmental precautions :** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**Large spill :** Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

**Small spill :** Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

---

**Handling :** Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before

transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

**Storage** : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

**Monitoring methods and references** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

**Engineering measures** : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### Protective Equipment

**Respiratory** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

**skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## Section 9. Physical and chemical properties

<b>State of Matter</b>	liquid
<b>Color</b>	colorless.
<b>Density</b>	1.044 g/cm <sup>3</sup> 8.7 lb/gal 1044 g/l
<b>Flash point</b>	70.5 °C
<b>Boiling point</b>	190 - 208 °C
<b>Freezing point</b>	Not determined.
<b>Volatile.</b>	94.92 %(m) Weight % 94.69 %(V) Volume %
<b>VOC %</b>	94.92 %(m) Weight % 94.69 %(V) Volume %
<b>Coating VOC</b>	8.26 lb/gal 991 g/l

## Section 10. Stability and reactivity

**Stability** : The product is stable.

**Conditions to avoid** : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

**Materials to avoid** : Reactive or incompatible with the following materials: oxidizing materials

**Decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

Chemical name Test	Species	Dose	Exposure
Date of issue 1/4/2011			3 of 5
Specification 000000198710			

<b>Butanolide, 4-</b>	Oral Toxicity dataLD50	Rat	1,540 mg/kg
<b>Tetraethylene Glycol Dimethyl Ether</b>	Oral Toxicity dataLD50	Rat	5,140 mg/kg

## Section 12. Ecological information

**Environmental effects** : No known significant effects or critical hazards.

**Fate and pathway** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal considerations** : The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

Regulatory information	Proper shipping name	UN - Number	Hazard classification	Packing group	Additional information
DOT Classification	Not Restricted (NON-BULK Containers)	-		-	
ADNR	Not Restricted.	-		-	
ADR	Not Restricted.	-		-	
IATA	Not Restricted.	-		-	
IMDG	Not Restricted.	-		-	

## Section 15. Regulatory information

### International regulations

**Australia inventory (AICS)** : Not determined.

**China inventory (IECSC)** : Not determined.

**Japan inventory (ENCS)** : Not determined.

**Japan inventory (ISHL)** : Not determined.

**Korea inventory (KECI)** : Not determined.

**New Zealand Inventory of Chemicals (NZIoC)** : All components are listed or exempted.

**Philippines inventory (PICCS)** : Not determined.

**Canada. Canadian Environmental Protection Act, 1999 Part 5 Sec. 66 (1)** : At least one component is not listed in DSL but all such components are listed in NDSL.

**US. Toxic Substances Control Act as amended 15 U.S.C. 2606 Sec. 8 (b)** : All components are listed or exempted.

### United States Regulation

#### SARA 302/304/311/312 extremely hazardous substances

No products were found.

#### SARA 302/304 emergency planning and notification

No products were found.

#### SARA 302/304/311/312 hazardous chemicals

No products were found.

#### SARA 311/312 MSDS distribution - chemical inventory - hazard identification

Butanolide, 4- : 96-48-0

#### SARA 313 - Form R - Reporting requirements

#### SARA 313 - Supplier Notification

Date of issue <a href="#">1/4/2011</a>	4 of 5
<a href="#">Specification</a> 000000198710	

## California Prop. 65

No components present that are known to the State of California to cause cancer or reproductive harm.

HAP (if present above 0.1% by weight)	CASRN	Weight %	Density (lb/gal)
---------------------------------------	-------	----------	------------------

### **Section 16. Other information**

---

---

Disclaimer: The information provided herein is presented in good faith and complies with the OSHA Hazard Communication Standard, 29 CFR 1910.1200 (g). Nothing contained herein constitutes a specification nor does it guarantee warranty for said product.