



ORAFOL®



ORAFOL® Wrapping Films

Product Summary Sheet

Vehicles with Complex to Moderate Curves



NEW!

**ORAJET®
3981PS**

Premium Digital
Printing PU

**ORAJET®
3981RA**

Premium Eco
Digital Print

NEW!

**ORAJET®
3951PS**

Premium Digital
Printing Cast PVC

**ORAJET®
3951RA**

Professional
Wrapping Film

NEW!

**ORAJET®
3751PS**

Premium Digital
Printing Cast







**ORAJET®
3751RA**

Wrapping Cast
Digital Print Media

	ORAJET® 3981PS / 3981RA		ORAJET® 3951PS / 3951RA		ORAJET® 3751PS / 3751RA	
Adhesive	<i>RapidAir+</i> ProSlide™	<i>RapidAir™</i>	<i>RapidAir+</i> ProSlide™	<i>RapidAir™</i>	<i>RapidAir+</i> ProSlide™	<i>RapidAir™</i>
Extremely complex, highly conformable wraps requiring long-term durability	✓ ✓		✓ ✓		✓	
Wraps requiring conformability over rivets, curves and into corrugations	✓		✓		✓	
Features higher film density than other competitive films. This helps resist solvent ink migration.	✓		✓		✓	
Optimized repositionability and slideability saving installers valuable time	✓	-	✓	-	✓	-
Exceptional performance in harsh industrial, tropical and desert regions	✓					

Won't yellow or crack or peel over time with self-healing properties	✓		
Less likely to leave pesky glue lines around bridged areas	✓	✓	✓
Four year (4) Clean Removability (<i>with heat</i>)	✓	✓	✓
Compatible with today's popular latex, solvent, and eco-solvent inks	✓	✓	✓

Technical Information

Application	-	 Outdoor Signage	-	 Outdoor Signage	-	 Outdoor Signage
	 Vehicle & Fleet Graphics		 Vehicle & Fleet Graphics		 Vehicle & Fleet Graphics	
Material Construction	Cast Polyurethane		Cast PVC		Cast PVC	
Thickness	2-mil		2-mil		2.25-mil	
Durability (unprinted)	Outdoor Long-term // 10-years		Outdoor Long-term // 10-years		Outdoor Long-term // 8-years	
Primary Recommended Laminate	ORAGUARD® 289F		ORAGUARD® 290		ORAGUARD® 290	
Other Premium Recommended Laminates	-		ORAGUARD® 289F, 290, 293		ORAGUARD® 289F, 290, 293	
UV Protection Extension Factor	+ 5 yr.		+ 4 yr.		+ 4 yr.	



Up to 8 Years of Protection for your Printed Graphics

Achieve an **unrivaled level of performance** and **guaranteed reliability** for your outdoor digital prints by specially matching the **ORAJET®** media and **ORAGUARD®** laminate. Combined with your approved wide-format inkjet printer and corresponding OEM ink, the **OCS warranty** takes the guess work out of the outdoor durability.

Vehicles with Simple Curves & Partial Wraps



Don't forget about our plotter films –
ORACAL® 951 & 751C have an endless number of grey metallic colors, perfect for partial wraps and lettering!

ORAJET® 3551RA

High Performance Digital Print Media
with *RapidAir®* Technology

ORALITE® 5650RA

Fleet Engineer Grade Reflective Film
with *RapidAir®* Technology

Features		Benefits
2.75-mil ultra-calendered film	=	An economical choice for simpler vehicle wraps such as vans, trailers, pick-ups, etc.
7-year outdoor durability (<i>unprinted</i>)	=	Most durable film in its class
Grey adhesive	=	No unwanted color bleed through from substrate
Brilliant gloss, white finish	=	Produces vivid, life-like prints with Arctic white (our brightest white) print film

Features		Benefits
Up to 5.5-mil cast film	=	Ideal for simple curves, flat surfaces and rivets
7-year outdoor durability (<i>unprinted</i>)	=	Optimal for long-term applications such as fleet, commercial signage and high quality graphics
Repositionable adhesive	=	Easier, more forgiving installations
High reflectivity	=	Provides excellent reflection, even in poor visibility and bad weather conditions

Recommended ORAGUARD® Laminates

ORAGUARD® 290 PVC Premium Cast
ORAGUARD® 290F Optically Clear PVC Premium Cast
ORAGUARD® 293 Ultra Flexible Premium Cast
ORAGUARD® 297GF Optically Clear Cast

ORAGUARD® 290 PVC Premium Cast
ORAGUARD® 290F Optically Clear PVC Premium Cast
ORAGUARD® 293 Ultra Flexible Premium Cast

Trust the
ORAFOL® Brand.

**Matched
Materials.**
Outstanding Results.



ICC Color Profiles available online
www.orafol.com under the **Support** section

100% splice free rolls = No production downtime